







Tip - Trailer



Chassis:

- · Main girder : formed / rolled / fabricated
- Cross members rolled or folded positioned at suitable locations

Axle

• 3 axles (13/14/15 tons) as required

Brakes:

 Wabco Trailer brake kit used with QRV or LQRV for enhanced braking efficiency

Painting:

• 2K epoxy primer for surface followed by painting which confirms UV protection & lasting for years

Suspension:

· 16-ton tridem axle leaf spring suspension

Landing Leg:

- · Two speed landing leg
- · Make:York or equivalent

Hydraulic Kit:

 Hydraulic tank includes pumptank, return line filter, tipping valve and hydraulic hoses



Chassis:

- Main girder : formed / rolled / fabricated
- Cross members rolled or folded positioned at suitable locations

Axle:

• 3 axles (13/14/15 tons) as required

Brakes:

Wabco Trailer brake kit used with QRV or LQRV for enhanced braking efficiency

Painting:

 2K epoxy primer for surface followed by painting which confirms UV protection & lasting for years

Suspension:

• 16-ton tridem axle leaf spring suspension

Landing Leg:

- Two speed landing leg
- · Make:York or equivalent



Heavy Duty Trailers



Chassis:

- Main girder: 77 kg/mtr rolled I-BEAM (sail)
- Cross members rolled or folded positioned at suitable locations

Axle:

• 3 axles (14/15 tons) / Single Beam

Brakes:

 Wabco Trailer brake kit used with QRV or LQRV for enhanced braking efficiency

Painting:

 2K epoxy primer for surface followed by painting which confirms UV protection & lasting for years

Suspension:

• 16-ton tridem axle leaf spring suspension



LOAD SECURITY FEATURES









Why choose Trucxle:

- Specialisation in Low Weight Trailers for Extra Payload resulting extra income for transporters on same trailers.
- HSLA Steel used for Low Weight Trailer with extra strength
- One Year pan India warranty on all trailers
- Service Network through out country
- All trailers are manufacturerd as per CMVR rules & Design standards.



TRUCXLE TRAILER MANUFACTURERS

NH-8, Ajmer-Jaipur Expy, Nursingpura, Bhankrota, Jaipur-302026

CONTACT FOR SALES & SERVICE ◆